

Altar Project Reportable Mineralized Intervals Using a 0.2% CuEQ Cutoff

| Year | Hole ID | From | To | Interval (m) | CuEQ (%) | Cu (%) | Au (ppm) | Mo (ppm) | Ag (ppm) | As (ppm) | Interval (m) |
|------|---------|--------|--------|---|----------|--------|----------|----------|----------|----------|--------------|
| 2006 | ALD 001 | 256.00 | 466.60 | 210.60 | 0.721 | 0.643 | 0.124 | 18 | 0.7 | 587 | 210.60 |
| 2006 | ALD 002 | 20.00 | 32.00 | 12.00 | 0.316 | 0.257 | 0.072 | 19 | 0.9 | 282 | 12.00 |
| 2006 | ALD 002 | 44.00 | 76.00 | 32.00 | 2.026 | 1.849 | 0.067 | 15 | 10.9 | 3075 | 32.00 |
| 2006 | ALD 002 | 276.00 | 372.00 | 96.00 | 0.263 | 0.201 | 0.081 | 13 | 0.5 | 671 | 96.00 |
| 2006 | ALD 003 | 90.00 | 374.00 | 284.00 | 0.504 | 0.438 | 0.087 | 20 | 0.4 | 240 | 284.00 |
| 2006 | ALD 004 | 24.00 | 114.00 | 90.00 | 0.298 | 0.018 | 0.372 | 13 | 1.7 | 727 | 90.00 |
| 2006 | ALD 004 | 170.00 | 222.00 | 52.00 | 0.399 | 0.066 | 0.422 | 19 | 3.6 | 461 | 52.00 |
| 2006 | ALD 004 | 266.00 | 380.00 | 114.00 | 0.428 | 0.275 | 0.209 | 17 | 0.5 | 349 | 114.00 |
| 2006 | ALD 004 | 414.00 | 498.00 | 84.00 | 0.403 | 0.320 | 0.108 | 19 | 0.6 | 253 | 84.00 |
| 2006 | ALD 005 | 360.00 | 372.00 | 12.00 | 0.367 | 0.330 | 0.017 | 8 | 2.8 | 1015 | 12.00 |
| 2006 | ALD 006 | 46.00 | 314.45 | 268.45 | 0.503 | 0.450 | 0.056 | 43 | 1.5 | 290 | 268.45 |
| 2006 | ALD 007 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2006 | ALD 008 | 146.00 | 496.00 | 350.00 | 0.573 | 0.506 | 0.082 | -99 | 0.9 | 418 | 350.00 |
| 2006 | ALD 009 | 168.00 | 418.00 | 250.00 | 0.428 | 0.386 | 0.050 | -99 | 0.8 | 250 | 250.00 |
| 2006 | ALD 010 | 46.00 | 242.00 | 196.00 | 0.366 | 0.334 | 0.039 | -99 | 0.5 | 289 | 196.00 |
| 2006 | ALD 010 | 260.00 | 292.00 | 32.00 | 0.222 | 0.195 | 0.036 | -99 | 0.2 | 113 | 32.00 |
| 2006 | ALD 010 | 354.00 | 368.00 | 14.00 | 0.205 | 0.192 | 0.017 | -99 | 0.1 | 39 | 14.00 |
| 2006 | ALD 011 | 206.00 | 209.50 | 3.50 | 0.449 | 0.367 | 0.102 | -99 | 1.0 | 32 | 3.50 |
| 2006 | ALD 012 | 14.00 | 72.00 | 58.00 | 0.236 | 0.015 | 0.267 | -99 | 3.4 | 177 | 58.00 |
| 2006 | ALD 012 | 206.00 | 226.00 | 20.00 | 0.194 | 0.024 | 0.202 | -99 | 2.8 | 732 | 20.00 |
| 2006 | ALD 012 | 288.00 | 398.70 | 110.70 | 0.630 | 0.548 | 0.057 | -99 | 4.5 | 605 | 110.70 |
| 2006 | ALD 013 | 16.00 | 26.00 | 10.00 | 0.959 | 0.028 | 1.285 | -99 | 1.6 | 6786 | 10.00 |
| 2006 | ALD 013 | 76.00 | 94.00 | 18.00 | 0.217 | 0.026 | 0.242 | -99 | 2.0 | 411 | 18.00 |
| 2006 | ALD 013 | 140.00 | 168.00 | 28.00 | 0.259 | 0.029 | 0.299 | -99 | 1.9 | 274 | 28.00 |
| 2006 | ALD 013 | 184.00 | 214.00 | 30.00 | 0.242 | 0.043 | 0.248 | -99 | 2.4 | 265 | 30.00 |
| 2006 | ALD 013 | 254.00 | 495.00 | 241.00 | 0.564 | 0.476 | 0.106 | -99 | 1.3 | 860 | 241.00 |
| 2006 | ALD 014 | 210.00 | 226.00 | 16.00 | 0.228 | 0.184 | 0.054 | -99 | 0.6 | 364 | 16.00 |
| 2006 | ALD 014 | 246.00 | 272.00 | 26.00 | 0.225 | 0.188 | 0.040 | -99 | 1.0 | 59 | 26.00 |
| 2006 | ALD 014 | 300.00 | 420.00 | 120.00 | 0.355 | 0.242 | 0.144 | -99 | 1.2 | 139 | 120.00 |
| 2006 | ALD 015 | 80.00 | 415.40 | 335.40 | 0.417 | 0.370 | 0.049 | -99 | 1.2 | 356 | 335.40 |
| 2007 | ALD 016 | 88.00 | 435.00 | 347.00 | 0.568 | 0.509 | 0.060 | -99 | 1.8 | 698 | 347.00 |
| 2007 | ALD 017 | 40.00 | 62.00 | 22.00 | 0.296 | 0.253 | 0.044 | -99 | 1.3 | 702 | 22.00 |
| 2007 | ALD 017 | 116.00 | 174.00 | 58.00 | 0.232 | 0.202 | 0.031 | -99 | 0.8 | 149 | 58.00 |
| 2007 | ALD 017 | 206.00 | 218.00 | 12.00 | 0.374 | 0.333 | 0.045 | -99 | 1.0 | 32 | 12.00 |
| 2007 | ALD 017 | 242.00 | 264.00 | 22.00 | 0.242 | 0.222 | 0.023 | -99 | 0.5 | 89 | 22.00 |
| 2007 | ALD 018 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2007 | ALD 019 | 100.00 | 953.00 | 853.00 | 0.641 | 0.585 | 0.066 | -30 | 1.0 | 268 | 853.00 |
| 2007 | ALD 020 | 98.00 | 377.00 | 279.00 | 0.464 | 0.415 | 0.046 | -99 | 1.8 | 193 | 279.00 |
| 2007 | ALD 021 | 26.00 | 192.00 | 166.00 | 0.235 | 0.209 | 0.035 | -99 | 0.2 | 24 | 166.00 |
| 2007 | ALD 021 | 284.00 | 304.00 | 20.00 | 0.308 | 0.289 | 0.025 | -99 | 0.1 | 15 | 20.00 |
| 2007 | ALD 021 | 422.00 | 442.00 | 20.00 | 0.307 | 0.261 | 0.052 | -99 | 1.0 | 713 | 20.00 |
| 2007 | ALD 021 | 468.00 | 476.05 | 8.05 | 0.220 | 0.198 | 0.027 | -99 | 0.2 | 489 | 8.05 |
| 2007 | ALD 022 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2007 | ALD 023 | 24.00 | 130.00 | 106.00 | 0.289 | 0.235 | 0.063 | -99 | 1.0 | 256 | 106.00 |
| 2007 | ALD 023 | 142.00 | 168.00 | 26.00 | 0.234 | 0.180 | 0.066 | -99 | 0.7 | 131 | 26.00 |
| 2007 | ALD 023 | 204.00 | 210.00 | 6.00 | 0.598 | 0.491 | 0.113 | -99 | 2.9 | 1486 | 6.00 |
| 2007 | ALD 023 | 360.00 | 406.00 | 46.00 | 0.291 | 0.259 | 0.031 | -99 | 1.1 | 349 | 46.00 |
| 2007 | ALD 023 | 420.00 | 442.00 | 22.00 | 0.165 | 0.134 | 0.038 | -99 | 0.4 | 298 | 22.00 |
| 2007 | ALD 023 | 492.00 | 514.00 | 22.00 | 0.255 | 0.227 | 0.033 | -99 | 0.5 | 422 | 22.00 |
| 2007 | ALD 023 | 536.00 | 572.00 | 36.00 | 0.261 | 0.226 | 0.043 | -99 | 0.5 | 570 | 36.00 |
| 2007 | ALD 024 | 258.00 | 286.00 | 28.00 | 0.316 | 0.253 | 0.086 | -99 | 0.2 | 12 | 28.00 |
| 2007 | ALD 024 | 394.00 | 438.00 | 44.00 | 0.296 | 0.252 | 0.051 | -99 | 0.8 | 307 | 44.00 |
| 2007 | ALD 025 | 118.00 | 314.00 | 196.00 | 0.487 | 0.406 | 0.095 | -99 | 1.4 | 1185 | 196.00 |
| 2007 | ALD 025 | 348.00 | 500.00 | 152.00 | 0.351 | 0.307 | 0.051 | -99 | 0.8 | 856 | 152.00 |
| 2007 | ALD 026 | 54.00 | 120.00 | 66.00 | 0.351 | 0.295 | 0.072 | -99 | 0.5 | 353 | 66.00 |
| 2007 | ALD 026 | 246.00 | 312.00 | 66.00 | 0.240 | 0.214 | 0.030 | -99 | 0.5 | 298 | 66.00 |

Altar Project Reportable Mineralized Intervals Using a 0.2% CuEQ Cutoff

| Year | Hole ID | From | To | Interval (m) | CuEQ (%) | Cu (%) | Au (ppm) | Mo (ppm) | Ag (ppm) | As (ppm) | Interval (m) |
|------|---------|--------|---------|---|----------|--------|----------|----------|----------|----------|--------------|
| 2007 | ALD 026 | 420.00 | 464.45 | 44.45 | 0.277 | 0.249 | 0.032 | -99 | 0.5 | 466 | 44.45 |
| 2007 | ALD 027 | 66.00 | 436.90 | 370.90 | 0.486 | 0.441 | 0.054 | -99 | 0.7 | 333 | 370.90 |
| 2007 | ALD 028 | 58.00 | 94.00 | 36.00 | 0.279 | 0.233 | 0.050 | -99 | 1.1 | 289 | 36.00 |
| 2007 | ALD 028 | 106.00 | 134.00 | 28.00 | 0.294 | 0.254 | 0.040 | -99 | 1.3 | 675 | 28.00 |
| 2007 | ALD 028 | 162.00 | 194.00 | 32.00 | 0.248 | 0.208 | 0.041 | -99 | 1.2 | 552 | 32.00 |
| 2007 | ALD 028 | 218.00 | 266.00 | 48.00 | 0.295 | 0.260 | 0.035 | -99 | 1.0 | 874 | 48.00 |
| 2007 | ALD 028 | 304.00 | 322.00 | 18.00 | 0.435 | 0.389 | 0.059 | -99 | 0.4 | 1422 | 18.00 |
| 2007 | ALD 029 | 14.00 | 258.00 | 244.00 | 0.362 | 0.281 | 0.100 | -99 | 1.1 | 602 | 244.00 |
| 2007 | ALD 029 | 324.00 | 372.00 | 48.00 | 0.337 | 0.303 | 0.044 | -99 | 0.3 | 239 | 48.00 |
| 2007 | ALD 030 | 76.00 | 90.00 | 14.00 | 0.747 | 0.673 | 0.077 | -99 | 2.1 | 2685 | 14.00 |
| 2007 | ALD 030 | 322.00 | 386.00 | 64.00 | 0.323 | 0.284 | 0.052 | -99 | 0.1 | 37 | 64.00 |
| 2007 | ALD 031 | 154.00 | 210.00 | 56.00 | 0.375 | 0.341 | 0.033 | -99 | 1.2 | 159 | 56.00 |
| 2007 | ALD 031 | 240.00 | 272.00 | 32.00 | 0.249 | 0.226 | 0.019 | -99 | 1.0 | 189 | 32.00 |
| 2007 | ALD 031 | 318.00 | 374.00 | 56.00 | 0.281 | 0.258 | 0.022 | -99 | 0.8 | 69 | 56.00 |
| 2007 | ALD 031 | 392.00 | 400.85 | 8.85 | 0.224 | 0.211 | 0.015 | -99 | 0.2 | 52 | 8.85 |
| 2007 | ALD 032 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2007 | ALD 033 | 136.00 | 418.00 | 282.00 | 0.568 | 0.530 | 0.048 | -99 | 0.4 | 269 | 282.00 |
| 2007 | ALD 034 | 248.00 | 268.00 | 20.00 | 0.246 | 0.216 | 0.039 | -99 | 0.2 | 127 | 20.00 |
| 2007 | ALD 034 | 280.00 | 449.00 | 169.00 | 0.426 | 0.382 | 0.050 | -99 | 0.9 | 586 | 169.00 |
| 2007 | ALD 035 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2007 | ALD 036 | 24.00 | 78.00 | 54.00 | 0.436 | 0.313 | 0.139 | -99 | 2.5 | 367 | 54.00 |
| 2007 | ALD 036 | 124.00 | 666.00 | 542.00 | 0.610 | 0.529 | 0.100 | -57 | 1.1 | 218 | 542.00 |
| 2007 | ALD 037 | 136.00 | 178.00 | 42.00 | 0.308 | 0.194 | 0.155 | -99 | 0.4 | 320 | 42.00 |
| 2007 | ALD 037 | 204.00 | 415.70 | 211.70 | 0.383 | 0.308 | 0.091 | -99 | 1.1 | 496 | 211.70 |
| 2007 | ALD 038 | 226.00 | 244.00 | 18.00 | 0.317 | 0.299 | 0.023 | -99 | 0.1 | 326 | 18.00 |
| 2007 | ALD 038 | 380.00 | 398.30 | 18.30 | 0.297 | 0.265 | 0.044 | -99 | 0.1 | 105 | 18.30 |
| 2007 | ALD 039 | 10.00 | 168.00 | 158.00 | 0.513 | 0.452 | 0.070 | -99 | 1.3 | 439 | 158.00 |
| 2007 | ALD 039 | 228.00 | 276.00 | 48.00 | 0.586 | 0.531 | 0.071 | -99 | 0.5 | 273 | 48.00 |
| 2007 | ALD 039 | 310.00 | 433.20 | 123.20 | 0.532 | 0.486 | 0.057 | -99 | 0.6 | 386 | 123.20 |
| 2007 | ALD 040 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2007 | ALD 041 | 96.00 | 406.00 | 310.00 | 0.489 | 0.437 | 0.062 | 9 | 0.9 | 351 | 310.00 |
| 2008 | ALD 042 | 116.00 | 130.00 | 14.00 | 0.306 | 0.198 | 0.128 | 12 | 1.9 | 1083 | 14.00 |
| 2008 | ALD 042 | 250.00 | 562.00 | 312.00 | 0.374 | 0.337 | 0.046 | 5 | 0.5 | 92 | 312.00 |
| 2008 | ALD 043 | 40.00 | 1009.70 | 969.70 | 0.651 | 0.576 | 0.089 | 11 | 1.2 | 338 | 969.70 |
| 2008 | ALD 043 | 40.00 | 210.00 | 170.00 | 0.258 | 0.054 | 0.251 | 5 | 2.7 | 1152 | 170.00 |
| 2008 | ALD 043 | 210.00 | 1009.70 | 799.70 | 0.734 | 0.687 | 0.055 | 13 | 0.9 | 165 | 799.70 |
| 2008 | ALD 044 | 30.00 | 142.00 | 112.00 | 0.364 | 0.314 | 0.055 | 9 | 1.1 | 309 | 112.00 |
| 2008 | ALD 045 | 12.00 | 210.00 | 198.00 | 0.522 | 0.427 | 0.116 | 37 | 1.3 | 1347 | 198.00 |
| 2008 | ALD 045 | 284.00 | 494.00 | 210.00 | 0.335 | 0.298 | 0.046 | 33 | 0.5 | 585 | 210.00 |
| 2008 | ALD 046 | 82.00 | 596.00 | 514.00 | 0.649 | 0.567 | 0.097 | 6 | 1.4 | 156 | 514.00 |
| 2008 | ALD 047 | 34.00 | 66.00 | 32.00 | 0.426 | 0.364 | 0.064 | 23 | 1.8 | 36 | 32.00 |
| 2008 | ALD 047 | 92.00 | 538.00 | 446.00 | 0.495 | 0.452 | 0.046 | 28 | 1.2 | 116 | 446.00 |
| 2008 | ALD 048 | 66.00 | 148.00 | 82.00 | 0.984 | 0.874 | 0.130 | 7 | 1.9 | 658 | 82.00 |
| 2008 | ALD 048 | 178.00 | 232.00 | 54.00 | 0.208 | 0.019 | 0.235 | 4 | 2.4 | 1102 | 54.00 |
| 2008 | ALD 048 | 242.00 | 494.35 | 252.35 | 0.558 | 0.485 | 0.094 | 5 | 0.6 | 384 | 252.35 |
| 2008 | ALD 049 | 132.00 | 951.60 | 819.60 | 0.703 | 0.622 | 0.102 | 8 | 1.0 | 175 | 819.60 |
| 2008 | ALD 050 | 54.00 | 66.00 | 12.00 | 0.389 | 0.336 | 0.060 | 13 | 1.1 | 59 | 12.00 |
| 2008 | ALD 050 | 88.00 | 484.80 | 396.80 | 0.593 | 0.524 | 0.081 | 10 | 1.3 | 162 | 396.80 |
| 2008 | ALD 051 | 42.00 | 72.00 | 30.00 | 0.433 | 0.302 | 0.167 | 10 | 1.3 | 1370 | 30.00 |
| 2008 | ALD 051 | 152.00 | 659.40 | 507.40 | 0.509 | 0.459 | 0.064 | 6 | 0.5 | 182 | 507.40 |
| 2008 | ALD 052 | 78.00 | 456.00 | 378.00 | 0.536 | 0.476 | 0.071 | 6 | 1.0 | 151 | 378.00 |
| 2008 | ALD 053 | 72.00 | 501.40 | 429.40 | 0.629 | 0.551 | 0.089 | 6 | 1.6 | 329 | 429.40 |
| 2008 | ALD 054 | 62.00 | 455.00 | 393.00 | 0.418 | 0.382 | 0.046 | 6 | 0.4 | 222 | 393.00 |
| 2008 | ALD 055 | 130.00 | 170.00 | 40.00 | 0.282 | 0.255 | 0.027 | 32 | 0.8 | 827 | 40.00 |
| 2008 | ALD 055 | 200.00 | 218.00 | 18.00 | 0.197 | 0.186 | 0.012 | 33 | 0.2 | 552 | 18.00 |
| 2008 | ALD 055 | 244.00 | 956.00 | 712.00 | 0.545 | 0.507 | 0.039 | 49 | 1.1 | 169 | 712.00 |
| 2008 | ALD 056 | 52.00 | 98.00 | 46.00 | 0.635 | 0.497 | 0.156 | 38 | 3.0 | 3385 | 46.00 |
| 2008 | ALD 056 | 120.00 | 160.00 | 40.00 | 0.343 | 0.302 | 0.045 | 20 | 0.9 | 997 | 40.00 |

Altar Project Reportable Mineralized Intervals Using a 0.2% CuEQ Cutoff

| Year | Hole ID | From | To | Interval (m) | CuEQ (%) | Cu (%) | Au (ppm) | Mo (ppm) | Ag (ppm) | As (ppm) | Interval (m) |
|------|---------|--------|--------|---|----------|--------|----------|----------|----------|----------|--------------|
| 2008 | ALD 056 | 186.00 | 316.00 | 130.00 | 0.418 | 0.364 | 0.061 | 16 | 1.0 | 1149 | 130.00 |
| 2008 | ALD 056 | 340.00 | 382.00 | 42.00 | 0.274 | 0.231 | 0.054 | 15 | 0.5 | 431 | 42.00 |
| 2008 | ALD 056 | 424.00 | 438.00 | 14.00 | 0.405 | 0.383 | 0.027 | 13 | 0.3 | 93 | 14.00 |
| 2008 | ALD 056 | 464.00 | 492.00 | 28.00 | 0.231 | 0.212 | 0.023 | 48 | 0.2 | 83 | 28.00 |
| 2008 | ALD 057 | 18.00 | 64.00 | 46.00 | 0.323 | 0.276 | 0.048 | 11 | 1.5 | 1057 | 46.00 |
| 2008 | ALD 057 | 100.00 | 110.00 | 10.00 | 3.659 | 0.025 | 5.081 | 23 | 1.2 | 1679 | 10.00 |
| 2008 | ALD 057 | 184.00 | 671.40 | 487.40 | 0.485 | 0.437 | 0.058 | 14 | 0.8 | 245 | 487.40 |
| 2008 | ALD 058 | 56.00 | 440.00 | 384.00 | 0.531 | 0.462 | 0.079 | 20 | 1.4 | 588 | 384.00 |
| 2008 | ALD 059 | 102.00 | 512.00 | 410.00 | 0.412 | 0.382 | 0.035 | 21 | 0.4 | 421 | 410.00 |
| 2008 | ALD 060 | 20.00 | 419.00 | 399.00 | 0.409 | 0.366 | 0.045 | 30 | 1.2 | 182 | 399.00 |
| 2008 | ALD 061 | 176.00 | 222.00 | 46.00 | 0.297 | 0.254 | 0.050 | 6 | 0.8 | 17 | 46.00 |
| 2008 | ALD 061 | 272.00 | 583.00 | 311.00 | 0.443 | 0.394 | 0.057 | 19 | 1.0 | 407 | 311.00 |
| 2008 | ALD 062 | 120.00 | 470.00 | 350.00 | 0.545 | 0.483 | 0.063 | 23 | 1.9 | 222 | 350.00 |
| 2008 | ALD 063 | 166.00 | 178.00 | 12.00 | 0.235 | 0.221 | 0.017 | 23 | 0.3 | 670 | 12.00 |
| 2008 | ALD 063 | 258.00 | 272.00 | 14.00 | 0.205 | 0.190 | 0.017 | 54 | 0.4 | 422 | 14.00 |
| 2008 | ALD 063 | 306.00 | 660.90 | 354.90 | 0.551 | 0.506 | 0.050 | 30 | 1.1 | 156 | 354.90 |
| 2008 | ALD 064 | 50.00 | 392.00 | 342.00 | 0.396 | 0.349 | 0.049 | 26 | 1.3 | 392 | 342.00 |
| 2010 | ALD 065 | 132.00 | 397.60 | 265.60 | 0.336 | 0.303 | 0.034 | 33 | 1.0 | 55 | 265.60 |
| 2010 | ALD 066 | 108.00 | 532.00 | 424.00 | 0.437 | 0.394 | 0.046 | 21 | 1.1 | 196 | 424.00 |
| 2010 | ALD 067 | 32.00 | 628.00 | 596.00 | 0.379 | 0.349 | 0.035 | 26 | 0.6 | 239 | 596.00 |
| 2010 | ALD 067 | 718.00 | 727.80 | 9.80 | 0.228 | 0.204 | 0.009 | 42 | 1.9 | 300 | 9.80 |
| 2010 | ALD 068 | 306.00 | 948.00 | 642.00 | 0.515 | 0.474 | 0.040 | 82 | 1.4 | 342 | 642.00 |
| 2010 | ALD 069 | 168.00 | 238.00 | 70.00 | 0.388 | 0.265 | 0.163 | 30 | 0.8 | 631 | 70.00 |
| 2010 | ALD 069 | 272.00 | 757.60 | 485.60 | 0.518 | 0.480 | 0.042 | 38 | 0.9 | 217 | 485.60 |
| 2010 | ALD 070 | 186.00 | 242.00 | 56.00 | 0.220 | 0.023 | 0.259 | 9 | 1.4 | 271 | 56.00 |
| 2010 | ALD 070 | 338.00 | 400.00 | 62.00 | 0.636 | 0.551 | 0.113 | 6 | 0.5 | 185 | 62.00 |
| 2010 | ALD 071 | 76.00 | 452.00 | 376.00 | 0.381 | 0.343 | 0.038 | 36 | 1.1 | 39 | 376.00 |
| 2010 | ALD 072 | 14.00 | 198.00 | 184.00 | 0.330 | 0.021 | 0.410 | 12 | 1.9 | 435 | 184.00 |
| 2010 | ALD 072 | 282.00 | 294.00 | 12.00 | 0.225 | 0.013 | 0.290 | 15 | 0.6 | 384 | 12.00 |
| 2010 | ALD 072 | 344.00 | 408.00 | 64.00 | 0.533 | 0.443 | 0.118 | 9 | 0.6 | 141 | 64.00 |
| 2010 | ALD 073 | 50.00 | 56.00 | 6.00 | 0.342 | 0.009 | 0.356 | 13 | 8.6 | 2163 | 6.00 |
| 2010 | ALD 073 | 122.00 | 367.00 | 245.00 | 0.774 | 0.701 | 0.078 | 14 | 1.9 | 199 | 245.00 |
| 2010 | ALD 074 | 128.00 | 607.60 | 479.60 | 0.484 | 0.410 | 0.093 | 11 | 0.8 | 138 | 479.60 |
| 2010 | ALD 075 | 152.00 | 502.90 | 350.90 | 0.471 | 0.421 | 0.063 | 10 | 0.6 | 275 | 350.90 |
| 2010 | ALD 076 | 52.00 | 62.00 | 10.00 | 0.385 | 0.235 | 0.172 | 10 | 2.9 | 247 | 10.00 |
| 2010 | ALD 076 | 200.00 | 471.40 | 271.40 | 0.992 | 0.880 | 0.139 | 6 | 1.3 | 544 | 271.40 |
| 2010 | ALD 077 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2010 | ALD 078 | 66.00 | 296.00 | 230.00 | 0.518 | 0.374 | 0.186 | 14 | 1.3 | 269 | 230.00 |
| 2010 | ALD 079 | 246.00 | 262.00 | 16.00 | 0.338 | 0.314 | 0.028 | 6 | 0.4 | 450 | 16.00 |
| 2010 | ALD 079 | 320.00 | 934.60 | 614.60 | 0.525 | 0.482 | 0.044 | 39 | 1.3 | 181 | 614.60 |
| 2010 | ALD 080 | 116.00 | 134.00 | 18.00 | 0.234 | 0.190 | 0.056 | 47 | 0.5 | 660 | 18.00 |
| 2010 | ALD 080 | 154.00 | 168.00 | 14.00 | 0.408 | 0.346 | 0.071 | 63 | 1.2 | 1048 | 14.00 |
| 2010 | ALD 080 | 274.00 | 298.00 | 24.00 | 0.270 | 0.231 | 0.048 | 76 | 0.6 | 598 | 24.00 |
| 2010 | ALD 081 | 150.00 | 168.00 | 18.00 | 0.264 | 0.187 | 0.097 | 10 | 0.9 | 621 | 18.00 |
| 2010 | ALD 081 | 198.00 | 220.00 | 22.00 | 0.299 | 0.276 | 0.027 | 9 | 0.5 | 614 | 22.00 |
| 2010 | ALD 081 | 256.00 | 517.80 | 261.80 | 0.322 | 0.298 | 0.028 | 33 | 0.5 | 119 | 261.80 |
| 2010 | ALD 082 | 98.00 | 244.00 | 146.00 | 0.430 | 0.350 | 0.094 | 33 | 1.4 | 1251 | 146.00 |
| 2010 | ALD 082 | 356.00 | 382.00 | 26.00 | 0.245 | 0.200 | 0.054 | 45 | 0.8 | 654 | 26.00 |
| 2010 | ALD 083 | 104.00 | 313.00 | 209.00 | 1.015 | 0.894 | 0.140 | 12 | 2.3 | 325 | 209.00 |
| 2010 | ALD 084 | 86.00 | 290.00 | 204.00 | 0.400 | 0.326 | 0.088 | 11 | 1.2 | 435 | 204.00 |
| 2010 | ALD 085 | 146.00 | 234.00 | 88.00 | 0.954 | 0.826 | 0.150 | 12 | 2.3 | 787 | 88.00 |
| 2010 | ALD 085 | 330.00 | 404.00 | 74.00 | 1.076 | 0.923 | 0.201 | 2 | 1.1 | 218 | 74.00 |
| 2010 | ALD 085 | 450.00 | 577.10 | 127.10 | 0.410 | 0.360 | 0.063 | 5 | 0.5 | 556 | 127.10 |
| 2010 | ALD 086 | 130.00 | 141.10 | 11.10 | 0.528 | 0.473 | 0.063 | 3 | 1.1 | 1229 | 11.10 |
| 2010 | ALD 087 | 172.00 | 630.50 | 458.50 | 0.447 | 0.388 | 0.067 | 15 | 1.2 | 374 | 458.50 |
| 2010 | ALD 088 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2010 | ALD 089 | 12.00 | 180.00 | 168.00 | 0.439 | 0.373 | 0.078 | 15 | 1.1 | 636 | 168.00 |
| 2010 | ALD 089 | 274.00 | 393.10 | 119.10 | 1.087 | 0.913 | 0.226 | 12 | 1.4 | 631 | 119.10 |

Altar Project Reportable Mineralized Intervals Using a 0.2% CuEQ Cutoff

| Year | Hole ID | From | To | Interval (m) | CuEQ (%) | Cu (%) | Au (ppm) | Mo (ppm) | Ag (ppm) | As (ppm) | Interval (m) | |
|------|---------|--------|--------|---|----------|--------|----------|----------|----------|----------|--------------|--|
| 2010 | ALD090 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2010 | ALD 091 | 40.00 | 210.00 | 170.00 | 0.384 | 0.317 | 0.076 | 14 | 1.4 | 473 | 170.00 | |
| 2010 | ALD 092 | 16.00 | 86.00 | 70.00 | 0.256 | 0.204 | 0.064 | 21 | 0.7 | 732 | 70.00 | |
| 2010 | ALD 092 | 320.00 | 330.00 | 10.00 | 0.298 | 0.274 | 0.030 | 39 | 0.2 | 714 | 10.00 | |
| 2010 | ALD 093 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2010 | ALD 094 | 36.00 | 66.00 | 30.00 | 0.516 | 0.435 | 0.064 | 10 | 3.8 | 1262 | 30.00 | |
| 2010 | ALD 095 | 16.00 | 30.00 | 14.00 | 0.256 | 0.201 | 0.058 | 9 | 1.5 | 478 | 14.00 | |
| 2010 | ALD 095 | 58.00 | 88.00 | 30.00 | 0.289 | 0.252 | 0.043 | 7 | 0.7 | 455 | 30.00 | |
| 2010 | ALD 095 | 102.00 | 110.00 | 8.00 | 2.756 | 2.582 | 0.102 | 4 | 11.2 | 4434 | 8.00 | |
| 2010 | ALD 095 | 126.00 | 140.00 | 14.00 | 0.396 | 0.342 | 0.056 | 5 | 1.5 | 1138 | 14.00 | |
| 2010 | ALD 095 | 194.00 | 218.00 | 24.00 | 0.286 | 0.201 | 0.105 | 9 | 1.1 | 42 | 24.00 | |
| 2010 | ALD 095 | 232.00 | 328.20 | 96.20 | 0.383 | 0.332 | 0.055 | 6 | 1.3 | 790 | 96.20 | |
| 2010 | ALD 096 | 192.00 | 244.00 | 52.00 | 0.511 | 0.481 | 0.026 | 50 | 1.3 | 139 | 52.00 | |
| 2010 | ALD 097 | 58.00 | 72.00 | 14.00 | 0.247 | 0.008 | 0.296 | 5 | 3.0 | 461 | 14.00 | |
| 2010 | ALD 097 | 168.00 | 383.50 | 215.50 | 0.349 | 0.270 | 0.097 | 6 | 1.1 | 221 | 215.50 | |
| 2010 | ALD 098 | 8.00 | 88.00 | 80.00 | 0.437 | 0.257 | 0.233 | 15 | 1.5 | 305 | 80.00 | |
| 2010 | ALD 098 | 178.00 | 194.00 | 16.00 | 0.363 | 0.299 | 0.079 | 4 | 0.9 | 513 | 16.00 | |
| 2010 | ALD 098 | 210.00 | 230.00 | 20.00 | 0.295 | 0.176 | 0.151 | 15 | 1.2 | 542 | 20.00 | |
| 2010 | ALD 099 | 38.00 | 88.00 | 50.00 | 0.262 | 0.105 | 0.201 | 4 | 1.6 | 1032 | 50.00 | |
| 2010 | ALD 099 | 128.00 | 174.00 | 46.00 | 0.283 | 0.023 | 0.330 | 6 | 2.7 | 1225 | 46.00 | |
| 2010 | ALD 099 | 212.00 | 344.70 | 132.70 | 0.849 | 0.738 | 0.142 | 6 | 1.1 | 604 | 132.70 | |
| 2010 | ALD 100 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2010 | ALD 101 | 172.00 | 266.00 | 94.00 | 0.380 | 0.351 | 0.025 | 33 | 1.1 | 37 | 94.00 | |
| 2010 | ALD 101 | 322.00 | 397.00 | 75.00 | 0.310 | 0.286 | 0.022 | 29 | 0.9 | 48 | 75.00 | |
| 2010 | ALD 102 | 270.00 | 292.00 | 22.00 | 0.383 | 0.373 | 0.012 | 8 | 0.2 | 170 | 22.00 | |
| 2010 | ALD 102 | 386.00 | 413.00 | 27.00 | 0.325 | 0.243 | 0.108 | 28 | 0.6 | 744 | 27.00 | |
| 2010 | ALD 103 | 42.00 | 124.00 | 82.00 | 0.348 | 0.292 | 0.064 | 17 | 1.1 | 218 | 82.00 | |
| 2010 | ALD 103 | 166.00 | 186.00 | 20.00 | 0.282 | 0.236 | 0.049 | 17 | 1.2 | 508 | 20.00 | |
| 2010 | ALD 104 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2010 | ALD 105 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2010 | ALD 106 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2010 | ALD 107 | 268.00 | 352.00 | 84.00 | 0.338 | 0.302 | 0.040 | 18 | 0.8 | 451 | 84.00 | |
| 2010 | ALD 107 | 380.00 | 490.70 | 110.70 | 0.346 | 0.298 | 0.057 | 30 | 0.9 | 562 | 110.70 | |
| 2010 | ALD 108 | 4.50 | 214.90 | 210.40 | 0.303 | 0.228 | 0.086 | 14 | 1.5 | 471 | 210.40 | |
| 2010 | ALD 109 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2010 | ALD 110 | 160.00 | 324.00 | 164.00 | 0.303 | 0.273 | 0.027 | 24 | 1.2 | 62 | 164.00 | |
| 2010 | ALD 110 | 340.00 | 356.00 | 16.00 | 0.273 | 0.244 | 0.025 | 30 | 1.2 | 50 | 16.00 | |
| 2010 | ALD 111 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2010 | ALD 112 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2010 | ALD 113 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2010 | ALD 114 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2010 | ALD 115 | 180.00 | 198.00 | 18.00 | 0.397 | 0.270 | 0.142 | 40 | 2.8 | 141 | 18.00 | |
| 2010 | ALD 115 | 210.00 | 238.00 | 28.00 | 0.358 | 0.317 | 0.037 | 29 | 1.7 | 16 | 28.00 | |
| 2010 | ALD 115 | 296.00 | 330.00 | 34.00 | 0.206 | 0.186 | 0.020 | 18 | 0.6 | 27 | 34.00 | |
| 2010 | ALD 116 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2010 | ALD 117 | 88.00 | 164.00 | 76.00 | 0.379 | 0.293 | 0.105 | 35 | 1.1 | 818 | 76.00 | |
| 2010 | ALD 117 | 186.00 | 248.00 | 62.00 | 0.269 | 0.220 | 0.057 | 22 | 1.0 | 461 | 62.00 | |
| 2010 | ALD 118 | 220.00 | 234.00 | 14.00 | 0.218 | 0.203 | 0.019 | 6 | 0.1 | 82 | 14.00 | |
| 2010 | ALD 118 | 352.00 | 356.00 | 4.00 | 0.860 | 0.758 | 0.055 | 8 | 7.0 | 2382 | 4.00 | |
| 2010 | ALD 118 | 394.00 | 406.00 | 12.00 | 0.246 | 0.217 | 0.021 | 64 | 1.6 | 586 | 12.00 | |
| 2010 | ALD 118 | 418.00 | 438.00 | 20.00 | 0.308 | 0.289 | 0.017 | 31 | 0.8 | 647 | 20.00 | |
| 2010 | ALD 119 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2010 | ALD 120 | 104.00 | 124.00 | 20.00 | 0.221 | 0.204 | 0.013 | 7 | 0.8 | 67 | 20.00 | |
| 2010 | ALD 120 | 178.00 | 210.00 | 32.00 | 0.270 | 0.251 | 0.019 | 9 | 0.6 | 45 | 32.00 | |
| 2010 | ALD 120 | 236.00 | 268.00 | 32.00 | 0.231 | 0.204 | 0.028 | 10 | 0.8 | 25 | 32.00 | |
| 2010 | ALD 121 | 70.00 | 154.00 | 84.00 | 0.297 | 0.252 | 0.042 | 18 | 1.6 | 538 | 84.00 | |
| 2010 | ALD 121 | 172.00 | 276.00 | 104.00 | 0.371 | 0.216 | 0.209 | 25 | 0.7 | 179 | 104.00 | |
| 2010 | ALD 122 | 102.00 | 116.00 | 14.00 | 0.304 | 0.261 | 0.048 | 7 | 1.0 | 886 | 14.00 | |

Altar Project Reportable Mineralized Intervals Using a 0.2% CuEQ Cutoff

| Year | Hole ID | From | To | Interval (m) | CuEQ (%) | Cu (%) | Au (ppm) | Mo (ppm) | Ag (ppm) | As (ppm) | Interval (m) | |
|------|---------|--------|--------|---|----------|--------|----------|----------|----------|----------|--------------|--|
| 2010 | ALD 122 | 124.00 | 140.00 | 16.00 | 0.365 | 0.304 | 0.070 | 6 | 1.2 | 1124 | 16.00 | |
| 2010 | ALD 122 | 154.00 | 190.00 | 36.00 | 0.378 | 0.313 | 0.080 | 11 | 0.8 | 974 | 36.00 | |
| 2010 | ALD 122 | 170.00 | 182.00 | 12.00 | 0.812 | 0.687 | 0.159 | 9 | 1.3 | 2567 | 12.00 | |
| 2010 | ALD 122 | 224.00 | 254.00 | 30.00 | 0.360 | 0.304 | 0.071 | 6 | 0.6 | 1066 | 30.00 | |
| 2010 | ALD 123 | 34.00 | 308.00 | 274.00 | 0.330 | 0.291 | 0.045 | 32 | 0.8 | 288 | 274.00 | |
| 2010 | ALD 124 | 58.00 | 156.00 | 98.00 | 0.335 | 0.268 | 0.082 | 16 | 0.9 | 262 | 98.00 | |
| 2010 | ALD 125 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2010 | ALD 126 | 68.00 | 246.00 | 178.00 | 0.362 | 0.325 | 0.048 | 12 | 0.4 | 279 | 178.00 | |
| 2010 | ALD 126 | 260.00 | 320.00 | 60.00 | 0.228 | 0.209 | 0.027 | 33 | 0.1 | 33 | 60.00 | |
| 2010 | ALD 127 | 22.00 | 258.00 | 236.00 | 0.426 | 0.269 | 0.207 | 10 | 1.1 | 758 | 236.00 | |
| 2010 | ALD 128 | 134.00 | 138.00 | 4.00 | 0.818 | 0.720 | 0.104 | 14 | 2.6 | 2461 | 4.00 | |
| 2010 | ALD 128 | 188.00 | 208.00 | 20.00 | 0.207 | 0.158 | 0.063 | 25 | 0.6 | 523 | 20.00 | |
| 2010 | ALD 128 | 224.00 | 244.00 | 20.00 | 0.229 | 0.208 | 0.027 | 19 | 0.3 | 138 | 20.00 | |
| 2010 | ALD 129 | 164.00 | 513.00 | 349.00 | 0.387 | 0.343 | 0.047 | 17 | 1.1 | 138 | 349.00 | |
| 2010 | ALD 130 | 56.00 | 68.00 | 12.00 | 0.308 | 0.244 | 0.077 | 8 | 1.0 | 476 | 12.00 | |
| 2010 | ALD 131 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2010 | ALD 132 | 144.00 | 544.00 | 400.00 | 0.351 | 0.322 | 0.036 | 46 | 0.4 | 286 | 400.00 | |
| 2010 | ALD 133 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2010 | ALD 134 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2010 | ALD 135 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2010 | ALD 136 | 66.00 | 371.00 | 305.00 | 0.542 | 0.466 | 0.090 | 38 | 1.3 | 656 | 305.00 | |
| 2010 | ALD 137 | 404.00 | 436.00 | 32.00 | 0.228 | 0.211 | 0.022 | 6 | 0.1 | 139 | 32.00 | |
| 2010 | ALD 138 | 64.00 | 449.00 | 385.00 | 0.383 | 0.350 | 0.044 | 15 | 0.3 | 166 | 385.00 | |
| 2010 | ALD 139 | 108.00 | 312.00 | 204.00 | 0.445 | 0.380 | 0.075 | 11 | 1.2 | 608 | 204.00 | |
| 2010 | ALD 140 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2010 | ALD 141 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2010 | ALD 142 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2010 | ALD 143 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2011 | ALD 144 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2011 | ALD 145 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2011 | ALD 146 | 56.00 | 60.00 | 4.00 | 2.416 | 1.363 | 0.277 | 2 | 94.0 | 3942 | 4.00 | |
| 2011 | ALD 146 | 84.00 | 90.00 | 6.00 | 1.282 | 0.410 | 0.898 | 2 | 25.4 | 1459 | 6.00 | |
| 2011 | ALD 147 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2011 | ALD 148 | 18.00 | 450.00 | 432.00 | 0.417 | 0.312 | 0.135 | 11 | 0.9 | 292 | 432.00 | |
| 2011 | ALD 149 | | | Drill Hole for Bulk Metallurgical Test | | | | | | | | |
| 2011 | ALD 150 | 12.00 | 548.00 | 536.00 | 0.521 | 0.387 | 0.169 | 13 | 1.5 | 189 | 536.00 | |
| 2012 | ALD 151 | 84.00 | 140.00 | 56.00 | 0.269 | 0.197 | 0.094 | 27 | 0.6 | 218 | 56.00 | |
| 2012 | ALD 151 | 176.00 | 182.00 | 6.00 | 0.641 | 0.152 | 0.677 | 30 | 0.7 | 405 | 6.00 | |
| 2012 | ALD 151 | 216.00 | 407.00 | 191.00 | 0.478 | 0.381 | 0.126 | 25 | 0.8 | 227 | 191.00 | |
| 2012 | ALD 152 | 118.00 | 136.00 | 18.00 | 0.269 | 0.234 | 0.042 | 11 | 0.5 | 27 | 18.00 | |
| 2012 | ALD 152 | 210.00 | 226.00 | 16.00 | 0.244 | 0.159 | 0.098 | 13 | 1.7 | 565 | 16.00 | |
| 2012 | ALD 152 | 256.00 | 361.00 | 105.00 | 0.319 | 0.286 | 0.035 | 7 | 0.8 | 306 | 105.00 | |
| 2012 | ALD 153 | 78.00 | 964.50 | 886.50 | 0.573 | 0.464 | 0.142 | 14 | 0.9 | 202 | 886.50 | |
| 2012 | ALD 154 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2012 | ALD 155 | 70.00 | 92.00 | 22.00 | 0.215 | 0.193 | 0.027 | 17 | 0.3 | 74 | 22.00 | |
| 2012 | ALD 155 | 160.00 | 634.70 | 474.70 | 0.326 | 0.277 | 0.057 | 22 | 1.0 | 201 | 474.70 | |
| 2012 | ALD 156 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2012 | ALD 157 | 192.00 | 202.50 | 10.50 | 0.307 | 0.029 | 0.368 | 7 | 1.7 | 165 | 10.50 | |
| 2012 | ALD 158 | 220.00 | 227.70 | 7.70 | 1.184 | 0.469 | 0.651 | 3 | 27.5 | 1008 | 7.70 | |
| 2012 | ALD 159 | 260.00 | 746.90 | 486.90 | 0.551 | 0.481 | 0.090 | 15 | 0.7 | 312 | 486.90 | |
| 2012 | ALD 159 | 798.00 | 816.00 | 18.00 | 0.278 | 0.265 | 0.016 | 38 | 0.1 | 163 | 18.00 | |
| 2012 | ALD 160 | 6.00 | 409.10 | 403.10 | 0.442 | 0.263 | 0.232 | 12 | 1.4 | 125 | 403.10 | |
| 2012 | ALD 161 | 128.00 | 738.00 | 610.00 | 0.440 | 0.333 | 0.138 | 10 | 0.9 | 100 | 610.00 | |
| 2012 | ALD 162 | 252.00 | 260.00 | 8.00 | 0.307 | 0.219 | 0.073 | 9 | 4.0 | 214 | 8.00 | |
| 2012 | ALD 162 | 364.00 | 374.00 | 10.00 | 0.366 | 0.309 | 0.069 | 51 | 0.9 | 15 | 10.00 | |
| 2012 | ALD 162 | 386.00 | 410.00 | 24.00 | 0.318 | 0.230 | 0.113 | 27 | 0.9 | 296 | 24.00 | |
| 2012 | ALD 162 | 450.00 | 522.70 | 72.70 | 0.243 | 0.198 | 0.057 | 32 | 0.5 | 323 | 72.70 | |
| 2012 | ALD 163 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |

Altar Project Reportable Mineralized Intervals Using a 0.2% CuEQ Cutoff

| Year | Hole ID | From | To | Interval (m) | CuEQ (%) | Cu (%) | Au (ppm) | Mo (ppm) | Ag (ppm) | As (ppm) | Interval (m) | |
|------|---------|--------|---------|---|----------|--------|----------|----------|----------|----------|--------------|--|
| 2012 | ALD 164 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2012 | ALD 165 | 92.00 | 124.00 | 32.00 | 0.186 | 0.155 | 0.032 | 11 | 0.9 | 400 | 32.00 | |
| 2012 | ALD 165 | 146.00 | 158.00 | 12.00 | 0.271 | 0.226 | 0.051 | 52 | 1.0 | 489 | 12.00 | |
| 2012 | ALD 165 | 246.00 | 258.00 | 12.00 | 0.361 | 0.305 | 0.073 | 15 | 0.5 | 192 | 12.00 | |
| 2012 | ALD 165 | 292.00 | 448.00 | 156.00 | 0.270 | 0.232 | 0.044 | 23 | 0.8 | 362 | 156.00 | |
| 2012 | ALD 166 | 132.00 | 148.00 | 16.00 | 0.396 | 0.197 | 0.271 | 6 | 0.7 | 917 | 16.00 | |
| 2012 | ALD 166 | 306.00 | 318.00 | 12.00 | 0.241 | 0.194 | 0.057 | 11 | 0.7 | 290 | 12.00 | |
| 2012 | ALD 166 | 374.00 | 401.00 | 27.00 | 0.295 | 0.212 | 0.114 | 6 | 0.3 | 424 | 27.00 | |
| 2012 | ALD 167 | 236.00 | 246.00 | 10.00 | 0.404 | 0.228 | 0.245 | 16 | 0.1 | 40 | 10.00 | |
| 2012 | ALD 167 | 284.00 | 296.00 | 12.00 | 0.261 | 0.199 | 0.077 | 8 | 0.8 | 633 | 12.00 | |
| 2012 | ALD 168 | 192.00 | 554.50 | 362.50 | 0.599 | 0.497 | 0.130 | 24 | 1.0 | 501 | 362.50 | |
| 2012 | ALD 169 | 68.00 | 640.50 | 572.50 | 0.515 | 0.385 | 0.169 | 15 | 1.1 | 134 | 572.50 | |
| 2012 | ALD 170 | 94.00 | 102.00 | 8.00 | 0.269 | 0.235 | 0.043 | 13 | 0.4 | 1 | 8.00 | |
| 2012 | ALD 170 | 120.00 | 124.00 | 4.00 | 2.178 | 0.092 | 0.205 | 11 | 213.2 | 132 | 4.00 | |
| 2012 | ALD 170 | 176.00 | 246.00 | 70.00 | 0.333 | 0.287 | 0.062 | 19 | 0.3 | 18 | 70.00 | |
| 2012 | ALD 171 | 70.00 | 517.50 | 447.50 | 0.356 | 0.288 | 0.088 | 22 | 0.6 | 201 | 447.50 | |
| 2012 | ALD 172 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2012 | ALD 173 | 12.00 | 941.00 | 929.00 | 0.622 | 0.437 | 0.242 | 9 | 1.4 | 164 | 929.00 | |
| 2012 | ALD 174 | 92.00 | 118.00 | 26.00 | 0.239 | 0.205 | 0.044 | 12 | 0.3 | 30 | 26.00 | |
| 2012 | ALD 174 | 134.00 | 940.00 | 806.00 | 0.553 | 0.457 | 0.119 | 18 | 1.3 | 205 | 806.00 | |
| 2012 | ALD 175 | 94.00 | 128.00 | 34.00 | 0.318 | 0.271 | 0.055 | 26 | 0.9 | 329 | 34.00 | |
| 2012 | ALD 175 | 148.00 | 192.00 | 44.00 | 0.237 | 0.206 | 0.039 | 34 | 0.3 | 99 | 44.00 | |
| 2012 | ALD 175 | 228.00 | 388.00 | 160.00 | 0.269 | 0.228 | 0.050 | 24 | 0.6 | 125 | 160.00 | |
| 2012 | ALD 176 | 72.00 | 951.25 | 879.25 | 0.757 | 0.532 | 0.293 | 9 | 1.8 | 161 | 879.25 | |
| 2012 | ALD 177 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2012 | ALD 178 | 270.00 | 302.00 | 32.00 | 0.243 | 0.203 | 0.050 | 38 | 0.5 | 47 | 32.00 | |
| 2012 | ALD 178 | 326.00 | 338.00 | 12.00 | 0.190 | 0.171 | 0.025 | 29 | 0.2 | 4 | 12.00 | |
| 2012 | ALD 178 | 354.00 | 360.00 | 6.00 | 0.495 | 0.408 | 0.103 | 14 | 1.5 | 511 | 6.00 | |
| 2012 | ALD 178 | 380.00 | 398.00 | 18.00 | 0.256 | 0.208 | 0.065 | 53 | 0.2 | 8 | 18.00 | |
| 2012 | ALD 179 | 258.00 | 272.00 | 14.00 | 0.238 | 0.185 | 0.049 | 20 | 2.0 | 147 | 14.00 | |
| 2012 | ALD 179 | 290.00 | 1166.50 | 876.50 | 0.533 | 0.442 | 0.109 | 20 | 1.4 | 205 | 876.50 | |
| 2012 | ALD 180 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | | |
| 2012 | ALD 181 | 348.00 | 366.00 | 18.00 | 0.254 | 0.215 | 0.047 | 29 | 0.6 | 10 | 18.00 | |
| 2012 | ALD 182 | 146.00 | 184.00 | 38.00 | 0.295 | 0.240 | 0.062 | 24 | 1.2 | 233 | 38.00 | |
| 2012 | ALD 182 | 216.00 | 625.50 | 409.50 | 0.412 | 0.321 | 0.110 | 15 | 1.4 | 167 | 409.50 | |
| 2012 | ALD 183 | 246.00 | 256.00 | 10.00 | 0.364 | 0.328 | 0.038 | 59 | 1.0 | 701 | 10.00 | |
| 2012 | ALD 183 | 286.00 | 300.00 | 14.00 | 0.248 | 0.212 | 0.043 | 76 | 0.5 | 62 | 14.00 | |
| 2012 | ALD 183 | 308.00 | 332.00 | 24.00 | 0.227 | 0.197 | 0.040 | 195 | 0.2 | 33 | 24.00 | |
| 2012 | ALD 183 | 422.00 | 475.50 | 53.50 | 0.262 | 0.226 | 0.046 | 52 | 0.3 | 40 | 53.50 | |
| 2012 | ALD 184 | 108.00 | 550.00 | 442.00 | 0.336 | 0.278 | 0.072 | 25 | 0.8 | 84 | 442.00 | |
| 2012 | ALD 185 | 116.00 | 128.00 | 12.00 | 0.301 | 0.235 | 0.079 | 39 | 1.0 | 44 | 12.00 | |
| 2012 | ALD 185 | 166.00 | 482.40 | 316.40 | 0.547 | 0.464 | 0.108 | 18 | 0.7 | 113 | 316.40 | |
| 2012 | ALD 186 | 202.00 | 485.00 | 283.00 | 0.421 | 0.360 | 0.064 | 16 | 1.7 | 418 | 283.00 | |
| 2012 | ALD 187 | 14.00 | 22.00 | 8.00 | 0.368 | 0.271 | 0.113 | 27 | 1.9 | 15 | 8.00 | |
| 2012 | ALD 187 | 204.00 | 521.00 | 317.00 | 0.515 | 0.441 | 0.096 | 9 | 0.6 | 101 | 317.00 | |
| 2012 | ALD 188 | 130.00 | 178.00 | 48.00 | 0.269 | 0.211 | 0.071 | 7 | 0.8 | 48 | 48.00 | |
| 2012 | ALD 188 | 188.00 | 198.00 | 10.00 | 0.252 | 0.214 | 0.047 | 9 | 0.5 | 3 | 10.00 | |
| 2012 | ALD 188 | 206.00 | 286.00 | 80.00 | 0.295 | 0.252 | 0.055 | 24 | 0.5 | 62 | 80.00 | |
| 2012 | ALD 188 | 302.00 | 330.00 | 28.00 | 0.208 | 0.176 | 0.041 | 21 | 0.4 | 52 | 28.00 | |
| 2012 | ALD 188 | 388.00 | 482.00 | 94.00 | 0.235 | 0.208 | 0.033 | 30 | 0.3 | 22 | 94.00 | |
| 2012 | ALD 189 | 298.00 | 592.00 | 294.00 | 0.388 | 0.349 | 0.037 | 36 | 1.4 | 567 | 294.00 | |
| 2013 | ALD 190 | 408.00 | 949.50 | 541.50 | 0.540 | 0.420 | 0.151 | 16 | 1.4 | 278 | 541.50 | |
| 2013 | ALD 191 | 28.00 | 100.00 | 72.00 | 0.422 | 0.342 | 0.099 | 29 | 1.1 | 88 | 72.00 | |
| 2013 | ALD 191 | 130.00 | 654.50 | 524.50 | 0.398 | 0.354 | 0.054 | 19 | 0.6 | 300 | 524.50 | |
| 2013 | ALD 192 | 96.00 | 102.00 | 6.00 | 0.507 | 0.437 | 0.088 | 29 | 0.8 | 157 | 6.00 | |
| 2013 | ALD 192 | 164.00 | 178.00 | 14.00 | 0.213 | 0.182 | 0.032 | 8 | 0.9 | 480 | 14.00 | |
| 2013 | ALD 192 | 192.00 | 204.00 | 12.00 | 0.581 | 0.335 | 0.332 | 24 | 1.0 | 1346 | 12.00 | |
| 2013 | ALD 193 | 112.00 | 128.00 | 16.00 | 0.231 | 0.142 | 0.117 | 51 | 0.6 | 44 | 16.00 | |

Altar Project Reportable Mineralized Intervals Using a 0.2% CuEQ Cutoff

| Year | Hole ID | From | To | Interval (m) | CuEQ (%) | Cu (%) | Au (ppm) | Mo (ppm) | Ag (ppm) | As (ppm) | Interval (m) |
|------|---------|--------|--------|---|----------|--------|----------|----------|----------|----------|--------------|
| 2013 | ALD 193 | 190.00 | 240.00 | 50.00 | 0.463 | 0.302 | 0.213 | 14 | 1.1 | 118 | 50.00 |
| 2013 | ALD 193 | 252.00 | 310.00 | 58.00 | 0.343 | 0.253 | 0.111 | 17 | 1.1 | 393 | 58.00 |
| 2013 | ALD 193 | 318.00 | 378.00 | 60.00 | 0.225 | 0.198 | 0.036 | 19 | 0.1 | 22 | 60.00 |
| 2013 | ALD 193 | 390.00 | 476.00 | 86.00 | 0.247 | 0.212 | 0.042 | 17 | 0.5 | 159 | 86.00 |
| 2013 | ALD 193 | 584.00 | 604.00 | 20.00 | 0.218 | 0.190 | 0.036 | 34 | 0.2 | 279 | 20.00 |
| 2013 | ALD 194 | 206.00 | 232.00 | 26.00 | 0.397 | 0.212 | 0.245 | 13 | 1.2 | 626 | 26.00 |
| 2013 | ALD 194 | 296.00 | 484.00 | 188.00 | 0.457 | 0.361 | 0.109 | 10 | 2.1 | 293 | 188.00 |
| 2013 | ALD 195 | 10.50 | 28.00 | 17.50 | 0.736 | 0.005 | 0.753 | 16 | 21.4 | 1685 | 17.50 |
| 2013 | ALD 195 | 254.00 | 264.00 | 10.00 | 0.334 | 0.053 | 0.373 | 33 | 1.7 | 1281 | 10.00 |
| 2013 | ALD 195 | 290.00 | 298.00 | 8.00 | 0.553 | 0.032 | 0.603 | 45 | 10.1 | 2085 | 8.00 |
| 2013 | ALD 195 | 428.00 | 526.00 | 98.00 | 0.265 | 0.215 | 0.061 | 24 | 0.8 | 42 | 98.00 |
| 2013 | ALD 195 | 794.00 | 864.00 | 70.00 | 0.578 | 0.521 | 0.062 | 88 | 1.4 | 318 | 70.00 |
| 2013 | ALD 195 | 916.00 | 934.00 | 18.00 | 0.551 | 0.501 | 0.057 | 118 | 1.0 | 303 | 18.00 |
| 2013 | ALD 196 | 100.00 | 106.00 | 6.00 | 0.751 | 0.199 | 0.740 | 3 | 2.6 | 10 | 6.00 |
| 2013 | ALD 196 | 132.00 | 146.00 | 14.00 | 0.224 | 0.144 | 0.095 | 4 | 1.4 | 29 | 14.00 |
| 2013 | ALD 196 | 190.00 | 204.00 | 14.00 | 0.288 | 0.093 | 0.259 | 3 | 1.1 | 492 | 14.00 |
| 2013 | ALD 196 | 278.00 | 294.00 | 16.00 | 0.210 | 0.140 | 0.091 | 2 | 0.6 | 379 | 16.00 |
| 2013 | ALD 197 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2013 | ALD 198 | 250.00 | 264.00 | 14.00 | 2.388 | 2.148 | 0.098 | 12 | 18.7 | 4679 | 14.00 |
| 2013 | ALD 198 | 402.00 | 428.00 | 26.00 | 0.218 | 0.143 | 0.090 | 9 | 1.1 | 310 | 26.00 |
| 2013 | ALD 198 | 444.00 | 466.00 | 22.00 | 0.329 | 0.291 | 0.037 | 3 | 1.2 | 1012 | 22.00 |
| 2013 | ALD 199 | 92.00 | 108.00 | 16.00 | 0.323 | 0.024 | 0.390 | 6 | 2.2 | 465 | 16.00 |
| 2013 | ALD 199 | 122.00 | 160.00 | 38.00 | 0.213 | 0.026 | 0.247 | 7 | 1.2 | 74 | 38.00 |
| 2013 | ALD 199 | 194.00 | 212.00 | 18.00 | 0.272 | 0.016 | 0.350 | 8 | 0.7 | 171 | 18.00 |
| 2013 | ALD 199 | 326.00 | 490.00 | 164.00 | 0.499 | 0.412 | 0.098 | 6 | 1.8 | 554 | 164.00 |
| 2013 | ALD 199 | 542.00 | 629.00 | 87.00 | 0.275 | 0.234 | 0.037 | 20 | 1.7 | 318 | 87.00 |
| 2013 | ALD 200 | 146.00 | 166.00 | 20.00 | 0.190 | 0.127 | 0.085 | 67 | 0.3 | 16 | 20.00 |
| 2013 | ALD 201 | 150.00 | 162.00 | 12.00 | 0.452 | 0.350 | 0.129 | 13 | 1.1 | 1302 | 12.00 |
| 2013 | ALD 201 | 322.00 | 338.00 | 16.00 | 0.207 | 0.189 | 0.025 | 28 | 0.1 | 14 | 16.00 |
| 2013 | ALD 201 | 422.00 | 452.00 | 30.00 | 0.244 | 0.219 | 0.034 | 18 | 0.1 | 241 | 30.00 |
| 2013 | ALD 202 | 636.00 | 662.00 | 26.00 | 0.915 | 0.860 | 0.042 | 9 | 2.7 | 1724 | 26.00 |
| 2013 | ALD 202 | 894.00 | 916.00 | 22.00 | 0.316 | 0.269 | 0.049 | 20 | 1.4 | 544 | 22.00 |
| 2013 | ALD 203 | 244.00 | 302.00 | 58.00 | 0.835 | 0.508 | 0.434 | 5 | 2.0 | 246 | 58.00 |
| 2013 | ALD 204 | 126.00 | 182.00 | 56.00 | 0.296 | 0.253 | 0.052 | 49 | 0.6 | 370 | 56.00 |
| 2013 | ALD 204 | 244.00 | 533.00 | 289.00 | 0.353 | 0.315 | 0.046 | 22 | 0.5 | 296 | 289.00 |
| 2013 | ALD 205 | 120.00 | 136.00 | 16.00 | 0.227 | 0.020 | 0.278 | 5 | 1.0 | 144 | 16.00 |
| 2013 | ALD 205 | 310.00 | 686.00 | 376.00 | 0.428 | 0.357 | 0.091 | 7 | 0.7 | 139 | 376.00 |
| 2016 | ALD 206 | 246.00 | 254.00 | 8.00 | 0.587 | 0.509 | 0.106 | 5 | 0.4 | 343 | 8.00 |
| 2016 | ALD 207 | 276.00 | 284.00 | 8.00 | 0.260 | 0.079 | 0.227 | 3 | 2.2 | 336 | 8.00 |
| 2016 | ALD 207 | 744.00 | 748.00 | 4.00 | 1.341 | 1.172 | 0.182 | 1 | 4.4 | 4333 | 4.00 |
| 2016 | ALD 208 | 586.00 | 590.00 | 4.00 | 0.693 | 0.012 | 0.193 | 6 | 59.7 | 218 | 4.00 |
| 2010 | QDM 001 | 9.00 | 206.00 | 197.00 | 0.439 | 0.035 | 0.554 | 4 | 0.9 | 191 | 197.00 |
| 2010 | QDM 001 | 244.00 | 256.00 | 12.00 | 0.239 | 0.165 | 0.103 | 17 | 0.1 | 1217 | 12.00 |
| 2010 | QDM 001 | 268.00 | 294.00 | 26.00 | 0.190 | 0.135 | 0.074 | 9 | 0.2 | 1238 | 26.00 |
| 2011 | QDM 002 | 14.00 | 228.00 | 214.00 | 0.784 | 0.065 | 0.962 | 1 | 3.6 | 183 | 214.00 |
| 2011 | QDM 003 | 30.00 | 40.00 | 10.00 | 0.333 | 0.172 | 0.209 | 1 | 1.3 | 62 | 10.00 |
| 2011 | QDM 003 | 62.00 | 88.00 | 26.00 | 0.372 | 0.222 | 0.199 | 1 | 0.9 | 65 | 26.00 |
| 2011 | QDM 004 | 8.20 | 32.00 | 23.80 | 0.340 | 0.003 | 0.461 | 3 | 0.9 | 92 | 23.80 |
| 2011 | QDM 004 | 54.00 | 96.00 | 42.00 | 0.255 | 0.111 | 0.198 | 1 | 0.4 | 175 | 42.00 |
| 2011 | QDM 004 | 110.00 | 132.00 | 22.00 | 0.232 | 0.109 | 0.169 | 2 | 0.3 | 624 | 22.00 |
| 2011 | QDM 005 | 50.00 | 202.00 | 152.00 | 0.379 | 0.061 | 0.425 | 1 | 1.8 | 162 | 152.00 |
| 2011 | QDM 005 | 250.00 | 268.00 | 18.00 | 0.306 | 0.062 | 0.336 | 1 | 0.5 | 131 | 18.00 |
| 2011 | QDM 006 | 20.00 | 166.00 | 146.00 | 0.975 | 0.075 | 1.240 | 2 | 1.6 | 108 | 146.00 |
| 2011 | QDM 006 | 190.00 | 204.00 | 14.00 | 0.211 | 0.139 | 0.097 | 6 | 0.3 | 144 | 14.00 |
| 2011 | QDM 007 | 30.00 | 62.00 | 32.00 | 0.235 | 0.098 | 0.178 | 18 | 1.1 | 315 | 32.00 |
| 2011 | QDM 007 | 134.00 | 156.00 | 22.00 | 0.199 | 0.131 | 0.086 | 23 | 0.7 | 266 | 22.00 |
| 2011 | QDM 007 | 174.00 | 202.50 | 28.50 | 0.272 | 0.214 | 0.073 | 25 | 0.6 | 366 | 28.50 |
| 2011 | QDM 008 | 124.00 | 146.00 | 22.00 | 0.245 | 0.027 | 0.204 | 1 | 8.0 | 116 | 22.00 |

Altar Project Reportable Mineralized Intervals Using a 0.2% CuEQ Cutoff

| Year | Hole ID | From | To | Interval (m) | CuEQ (%) | Cu (%) | Au (ppm) | Mo (ppm) | Ag (ppm) | As (ppm) | Interval (m) |
|------|---------|--------|---------|---|----------|--------|----------|----------|----------|----------|--------------|
| 2011 | QDM 008 | 162.00 | 180.00 | 18.00 | 0.202 | 0.031 | 0.129 | 1 | 8.8 | 108 | 18.00 |
| 2011 | QDM 008 | 224.00 | 236.00 | 12.00 | 0.358 | 0.017 | 0.360 | 1 | 9.2 | 63 | 12.00 |
| 2012 | QDM 009 | 82.00 | 158.00 | 76.00 | 0.283 | 0.197 | 0.112 | 47 | 0.6 | 356 | 76.00 |
| 2012 | QDM 009 | 192.00 | 204.00 | 12.00 | 0.215 | 0.150 | 0.082 | 27 | 0.7 | 405 | 12.00 |
| 2012 | QDM 010 | 3.00 | 32.00 | 29.00 | 0.354 | 0.005 | 0.479 | 10 | 0.8 | 485 | 29.00 |
| 2012 | QDM 010 | 54.00 | 78.00 | 24.00 | 0.299 | 0.004 | 0.410 | 6 | 0.4 | 220 | 24.00 |
| 2012 | QDM 010 | 136.00 | 314.00 | 178.00 | 0.517 | 0.081 | 0.602 | 7 | 0.7 | 162 | 178.00 |
| 2012 | QDM 011 | 7.50 | 128.00 | 120.50 | 0.595 | 0.041 | 0.724 | 2 | 4.2 | 125 | 120.50 |
| 2012 | QDM 011 | 272.00 | 280.00 | 8.00 | 0.205 | 0.105 | 0.138 | 1 | 0.2 | 118 | 8.00 |
| 2012 | QDM 012 | 4.50 | 160.00 | 155.50 | 0.325 | 0.088 | 0.325 | 26 | 0.6 | 180 | 155.50 |
| 2012 | QDM 013 | 4.00 | 178.00 | 174.00 | 0.731 | 9.451 | 0.907 | 1 | 2.4 | 194 | 174.00 |
| 2012 | QDM 014 | 28.00 | 184.00 | 156.00 | 0.505 | 0.060 | 0.610 | 2 | 1.1 | 164 | 156.00 |
| 2012 | QDM 015 | 4.50 | 22.00 | 17.50 | 0.265 | 0.002 | 0.366 | 31 | 0.2 | 408 | 17.50 |
| 2012 | QDM 015 | 36.00 | 100.00 | 64.00 | 0.329 | 0.076 | 0.351 | 5 | 0.4 | 601 | 64.00 |
| 2012 | QDM 016 | 38.00 | 180.00 | 142.00 | 0.254 | 0.151 | 0.132 | 39 | 0.9 | 389 | 142.00 |
| 2012 | QDM 017 | 4.50 | 132.00 | 127.50 | 0.276 | 0.045 | 0.319 | 8 | 0.4 | 131 | 127.50 |
| 2012 | QDM 018 | 28.00 | 180.00 | 152.00 | 0.489 | 0.103 | 0.533 | 3 | 0.7 | 162 | 152.00 |
| 2012 | QDM 019 | 6.00 | 30.00 | 24.00 | 0.242 | 0.003 | 0.325 | 2 | 0.8 | 189 | 24.00 |
| 2012 | QDM 020 | 31.30 | 134.00 | 102.70 | 0.338 | 0.024 | 0.366 | 1 | 5.8 | 107 | 102.70 |
| 2012 | QDM 020 | 184.00 | 192.00 | 8.00 | 0.283 | 0.030 | 0.319 | 1 | 2.9 | 87 | 8.00 |
| 2012 | QDM 021 | 10.00 | 202.00 | 192.00 | 0.732 | 0.059 | 0.849 | 1 | 7.5 | 167 | 192.00 |
| 2012 | QDM 021 | 222.00 | 236.00 | 14.00 | 0.306 | 0.048 | 0.320 | 1 | 3.3 | 171 | 14.00 |
| 2012 | QDM 022 | 18.00 | 198.00 | 180.00 | 0.577 | 0.049 | 0.706 | 1 | 2.7 | 188 | 180.00 |
| 2012 | QDM 022 | 222.00 | 238.00 | 16.00 | 0.190 | 0.046 | 0.199 | 1 | 0.2 | 88 | 16.00 |
| 2012 | QDM 023 | 78.00 | 244.00 | 166.00 | 0.447 | 0.052 | 0.487 | 1 | 5.2 | 142 | 166.00 |
| 2012 | QDM 024 | 12.00 | 22.00 | 10.00 | 0.238 | 0.014 | 0.247 | 1 | 5.3 | 207 | 10.00 |
| 2012 | QDM 024 | 70.00 | 74.00 | 4.00 | 17.510 | 0.003 | 24.507 | 1 | 3.9 | 326 | 4.00 |
| 2012 | QDM 024 | 148.00 | 168.00 | 20.00 | 0.355 | 0.087 | 0.327 | 1 | 4.0 | 287 | 20.00 |
| 2012 | QDM 024 | 296.00 | 410.00 | 114.00 | 0.413 | 0.080 | 0.453 | 2 | 1.0 | 163 | 114.00 |
| 2012 | QDM 025 | 46.00 | 86.00 | 40.00 | 0.229 | 0.075 | 0.199 | 1 | 1.3 | 315 | 40.00 |
| 2012 | QDM 026 | 3.00 | 14.00 | 11.00 | 0.189 | 0.017 | 0.220 | 1 | 1.6 | 180 | 11.00 |
| 2012 | QDM 026 | 152.00 | 294.00 | 142.00 | 0.352 | 0.055 | 0.406 | 2 | 1.0 | 138 | 142.00 |
| 2012 | QDM 027 | 168.00 | 182.00 | 14.00 | 0.228 | 0.081 | 0.172 | 1 | 2.6 | 310 | 14.00 |
| 2012 | QDM 027 | 190.00 | 214.00 | 24.00 | 0.283 | 0.051 | 0.285 | 1 | 3.2 | 212 | 24.00 |
| 2012 | QDM 027 | 292.00 | 320.00 | 28.00 | 0.427 | 0.049 | 0.509 | 1 | 1.7 | 131 | 28.00 |
| 2012 | QDM 027 | 332.00 | 402.00 | 70.00 | 0.339 | 0.045 | 0.396 | 1 | 1.3 | 141 | 70.00 |
| 2012 | QDM 028 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2016 | QDM 029 | 302.00 | 390.00 | 88.00 | 0.465 | 0.374 | 0.113 | 15 | 1.2 | 28 | 88.00 |
| 2016 | QDM 029 | 428.00 | 448.00 | 20.00 | 0.235 | 0.138 | 0.125 | 5 | 1.0 | 13 | 20.00 |
| 2016 | QDM 029 | 496.00 | 518.00 | 22.00 | 0.218 | 0.145 | 0.094 | 4 | 0.7 | 13 | 22.00 |
| 2016 | QDM 029 | 570.00 | 881.00 | 311.00 | 0.491 | 0.362 | 0.158 | 6 | 1.8 | 152 | 311.00 |
| 2016 | QDM 030 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2016 | QDM 031 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2017 | QDM 032 | 298.00 | 362.00 | 64.00 | 0.404 | 0.308 | 0.123 | 14 | 1.0 | 12 | 64.00 |
| 2017 | QDM 032 | 394.00 | 940.60 | 546.60 | 0.498 | 0.342 | 0.196 | 8 | 1.8 | 36 | 546.60 |
| 2017 | QDM 033 | 212.00 | 262.00 | 50.00 | 0.232 | 0.216 | 0.017 | 16 | 0.5 | 11 | 50.00 |
| 2017 | QDM 033 | 296.00 | 356.00 | 60.00 | 0.209 | 0.185 | 0.026 | 26 | 0.6 | 7 | 60.00 |
| 2017 | QDM 033 | 496.00 | 542.00 | 46.00 | 0.221 | 0.193 | 0.031 | 27 | 0.7 | 11 | 46.00 |
| 2017 | QDM 033 | 566.00 | 802.00 | 236.00 | 0.323 | 0.281 | 0.048 | 37 | 0.8 | 13 | 236.00 |
| 2017 | QDM 034 | 340.00 | 390.00 | 50.00 | 0.453 | 0.257 | 0.259 | 6 | 1.3 | 38 | 50.00 |
| 2017 | QDM 034 | 412.00 | 446.00 | 34.00 | 0.373 | 0.193 | 0.239 | 5 | 1.0 | 26 | 34.00 |
| 2017 | QDM 034 | 608.00 | 614.00 | 6.00 | 0.499 | 0.331 | 0.219 | 5 | 1.3 | 106 | 6.00 |
| 2017 | QDM 034 | 634.00 | 1006.00 | 372.00 | 0.954 | 0.593 | 0.460 | 6 | 3.6 | 76 | 372.00 |
| 2017 | QDM 035 | 318.00 | 857.00 | 539.00 | 0.313 | 0.267 | 0.053 | 29 | 0.9 | 17 | 539.00 |
| 2017 | QDM 036 | | | No Reportable Mineralized Intervals at 0.2% CuEQ Cutoff | | | | | | | |
| 2017 | QDM 037 | 190.00 | 734.00 | 544.00 | 0.544 | 0.410 | 0.168 | 14 | 1.6 | 43 | 544.00 |
| 2017 | QDM 037 | 770.00 | 906.00 | 136.00 | 0.318 | 0.216 | 0.130 | 74 | 1.1 | 39 | 136.00 |
| 2017 | QDM 038 | 40.00 | 122.00 | 82.00 | 0.244 | 0.158 | 0.111 | 35 | 0.7 | 324 | 82.00 |

Altar Project Reportable Mineralized Intervals Using a 0.2% CuEQ Cutoff

| Year | Hole ID | From | To | Interval (m) | CuEQ (%) | Cu (%) | Au (ppm) | Mo (ppm) | Ag (ppm) | As (ppm) | Interval (m) |
|------|---------|--------|--------|--------------|----------|--------|----------|----------|----------|----------|--------------|
| 2017 | QDM 038 | 256.00 | 348.00 | 92.00 | 0.227 | 0.193 | 0.040 | 31 | 0.6 | 226 | 92.00 |
| 2017 | QDM 038 | 378.00 | 916.60 | 538.60 | 0.385 | 0.318 | 0.078 | 29 | 1.2 | 83 | 538.60 |

LEGEND

| | |
|---------------------|---|
| Year | Year the hole was drilled. |
| Hole ID | Drill hole number |
| From | Starting point of the interval in meters |
| To | Finishing point of the interval in meters |
| Interval (m) | Interval length in meters |
| CuEQ (%) | Copper Equivalent using the formula: $\text{CuEQ (\%)} = \text{Cu (\%)} + ((\text{Au ppm} * \$/\text{oz Au} + \text{Ag ppm} * \$/\text{oz Ag}) / (22.0462 * 31.1035 * \$/\text{Lb Cu}))$ |
| | \$/oz Au = gold price in \$US per ounce = \$1,100 |
| | \$/oz Ag = silver price in \$US per ounce = \$14 |
| | \$/Lb Cu = copper price in \$US per pound = \$2.25 |
| Cu (%) | Copper value in percent |
| Au (ppm) | Gold value in parts-per-million (ppm); Note 1 ppm = 1 g/t |
| Mo (ppm) | Molybdenite in parts-per-million (ppm) |
| Ag (ppm) | Silver value in parts-per-million (ppm); Note 1 ppm = 1 g/t |
| As (ppm) | Arsenic value in parts-per-million (ppm) |

REPORTABLE INTERVAL RULES

- [1] > 10 m unless unusually high grade or other notable feature
- [2] Allowable dilution
 - [a] up to 5m if the interval is < 50m long
 - [b] up to 10m if the interval is between 50-200m long
 - [c] up to 20m if the interval is > 200m long
 - [d] dilution plus captured outlier combined must average better than the cutoff

QUALIFICATION STATEMENT

The intervals reported here were calculated using data provided by Sibanye-Stillwater by Qualified Person Dr. Kevin B. Heather (FAusIMM), Chief Geological Officer, Regulus Resources Inc.